EAST SEARCH HISTORY

HITS	QUERY	DATABASE					
2	20020071598.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
2	6185318.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
66	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (((inner or dot) adj1 product) or (inner?product or dot?product))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
41	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (((inner or dot) adj1 product) or (inner?product or dot?product))) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

15	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (((inner or dot) adj1 product) or (inner?product or dot?product))) and @ad<20001011 and (fingerprint or finger?print or (finger adj1 print))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	6487306.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1146	(382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (fingerprint or (finger adj1 print) or finger?print) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

33	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (fingerprint or (finger adj1 print) or finger?print) and @ad<20001011) and interpol$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (fingerprint or (finger adj1 print) or finger?print) and @ad<20001011) and (interpol$8 with (point or location or position or minuti$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

12	(US-4260646-$ or US-5613013-$ or US-5703958-$ or US-5748766-$ or US-5761330-$ or US-6175407-$ or US-6356649-$ or US-6714665-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did.				USPAT; US-PGPUB; JPO
12	((US-4260646-$ or US-5613013-$ or US-5703958-$ or US-5748766-$ or US-5761330-$ or US-6175407-$ or US-6356649-$ or US-6714665-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did.) and (interpol$8 with (point or location or position or minuti$4))				USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

| 33 | (US-5703958-$ or US-5659626-$ or US-5636292-$ or US-4260646-$ or US-4747147-$ or US-4817183-$ or US-5163094-$ or US-5493621-$ or US-5502774-$ or US-5613013-$ or US-5621809-$ or US-5937082-$ or US-6067369-$ or US-6118891-$ or US-6173068-$ or US-6175407-$ or US-6243492-$ or US-6356649-$ or US-6496594-$ or US-6714665-$ or US-6658140-$ or US-5761330-$ or US-5799098-$ or US-5812252-$ or US-5909501-$ or US-5912981-$).did. or (US-5920641-$ or US-5926555-$ or US-5748763-$ or US-5748766-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did. | USPAT; US-PGPUB; JPO | | | | | |

33	((US-5703958-$ or US-5659626-$ or US-5636292-$ or US-4260646-$ or US-4747147-$ or US-4817183-$ or US-5163094-$ or US-5493621-$ or US-5502774-$ or US-5613013-$ or US-5621809-$ or US-5937082-$ or US-6067369-$ or US-6118891-$ or US-6173068-$ or US-6175407-$ or US-6243492-$ or US-6356649-$ or US-6496594-$ or US-6714665-$ or US-5761330-$ or US-5799098-$ or US-5812252-$ or US-5909501-$ or US-5912981-$).did. or (US-5920641-$ or US-5926555-$ or US-5748763-$ or US-5748766-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did.) and interpol$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

21	(((US-5703958-$ or US-5659626-$ or US-5636292-$ or US-4260646-$ or US-4747147-$ or US-4817183-$ or US-5163094-$ or US-5493621-$ or US-5502774-$ or US-5613013-$ or US-5621809-$ or US-5937082-$ or US-6067369-$ or US-6118891-$ or US-6173068-$ or US-6175407-$ or US-6243492-$ or US-6356649-$ or US-6496594-$ or US-6658140-$ or US-6714665-$ or US-5761330-$ or US-5799098-$ or US-5812252-$ or US-5909501-$ or US-5912981-$).did. or (US-5920641-$ or US-5926555-$ or US-5748763-$ or US-5748766-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did.) and (not ((US-4260646-$ or US-5613013-$ or US-5703958-$ or US-5748766-$ or US-5761330-$ or US-6175407-$ or US-6356649-$ or US-6658140-$ or US-6714665-$).did. or (US-20010016055-$ or US-20020097896-$).did. or (JP-63223888-$).did.))	USPAT; US-PGPUB; JPO

21 (US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6243492-$ or US-6173068-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5912981-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-5163094-$ or US-4817183-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.	USPAT
20 ((US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6243492-$ or US-6173068-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5912981-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-5163094-$ or US-4817183-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.) and interpolat$8	USPAT; US-PGPUB; JPO

20	(((US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6173068-$ or US-6243492-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5912981-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-4817183-$ or US-5163094-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.) and interpolat$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				
20	(((US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6173068-$ or US-6243492-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5912981-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-4817183-$ or US-5163094-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.) and interpolat$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				

12	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and (fingerprint or (finger adj1 print) or finger?print) or @ad<20001011) and (interpol$8 with (point or location or position or minuti$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	(US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6243492-$ or US-6173068-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-5163094-$ or US-4817183-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.	USPAT

17	(((US-5799098-$ or US-5812252-$ or US-5909501-$ or US-6496594-$ or US-6173068-$ or US-6118891-$ or US-6067369-$ or US-5937082-$ or US-5926555-$ or US-5920641-$ or US-5636292-$ or US-5621809-$ or US-5502774-$ or US-5493621-$ or US-5163094-$ or US-4817183-$ or US-4747147-$ or US-5748763-$ or US-5659626-$).did.) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82457	(345.clas. or 382.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	(curve or spline or arc or contour) same (interpolat$ with (pixel or point)) same (sub?pixel or subpixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	(curve or spline or arc or contour) same (interpolat$ with (pixel or point)) same (sub?pixel or subpixel) and ((345.clas. or 382.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
671	(curve or spline or arc or contour) same (interpolat$ with (pixel or point)) and ((345.clas. or 382.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	(ridge adj1 flow) with block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	(US-6658140-$ or US-4817183-$ or US-6487306-$ or US-6263091-$ or US-5845005-$ or US-6185318-$).did. or (US-20020097896-$).did.	USPAT; US-PGPUB

6	((US-6658140-$ or US-4817183-$ or US-6487306-$ or US-6263091-$ or US-5845005-$ or US-6185318-$).did. or (US-20020097896-$).did.) and binar$5	USPAT; US-PGPUB
1	(US-6487306-$).did.	USPAT
1	((US-6487306-$).did.) and (direction or orientation or flow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2267	(382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2750	((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near5 (finger?print or fingerprint or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

494	(((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011) and (((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near5 (finger?print or fingerprint or (finger adj1 print))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2023	((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near3 (finger?print or fingerprint or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
871	((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

871	(((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))) and (((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near5 (finger?print or fingerprint or (finger adj1 print))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
183	(((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))) and ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

105	(((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))) and ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011) and (finger?print or fingerprint or (finger adj1 print)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1997	(382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

| 549 | ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011) and (finger?print or fingerprint or (finger adj1 print)).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

85	(((((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))) and ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and (finger?print or fingerprint or (finger adj1 print)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-6487306-$).did.	USPAT
1	((US-6487306-$).did.) and ridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((fingerprint or finger?print or (finger adj1 print)) same (airline near ticket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

5 ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((fingerprint or finger?print or (finger adj1 print)) with ticket)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2 3318428.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
5 ((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((fingerprint or finger?print or (finger adj1 print)) same ticket)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

1027	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((fingerprint or finger?print or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				
171	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and ((fingerprint or finger?print or (finger adj1 print)) same (pass or ticket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				

#	Query	Databases
5	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and (((fingerprint or finger?print or (finger adj1 print) and ((airline or airplane or plane) adj ticket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	(("382") and @ad<20001011) and (((fingerprint or finger?print or (finger adj1 print)) same ((airline or airplane or plane) adj ticket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	(US-6374652-$ or US-5363453-$ or US-6241288-$ or US-6185318-$ or US-6487306-$ or US-4817183-$ or US-6658140-$ or US-5845005-$ or US-6263091-$).did. or (US-20020097896-$).did.	USPAT; US-PGPUB
7	((US-6374652-$ or US-5363453-$ or US-6241288-$ or US-6185318-$ or US-6487306-$ or US-4817183-$ or US-6658140-$ or US-5845005-$ or US-6263091-$).did. or (US-20020097896-$).did.) and binar$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

11	Bergenek.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1694	(382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1027	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and (fingerprint or finger?print or (finger adj1 print))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

35 (((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and (fingerprint or finger?print or (finger adj1 print))) and ((invert$6 or revers$6) near4 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35 (US-5909501-$ or US-4253086-$ or US-4706600-$ or US-4736203-$ or US-5224174-$ or US-5291560-$ or US-5448649-$ or US-3743421-$ or US-3771124-$ or US-3771129-$ or US-3882462-$ or US-3891968-$ or US-3928842-$ or US-4015240-$ or US-5901239-$ or US-5825924-$ or US-5892599-$ or US-6292576-$ or US-6611614-$ or US-6741729-$ or US-5812252-$ or US-5689576-$ or US-5629764-$ or US-5633947-$ or US-5644645-$ or US-6240200-$).did. or (US-6233348-$ or US-6226391-$ or US-5596454-$ or US-5509083-$ or US-5974163-$ or US-5953442-$ or US-6125192-$ or US-6091839-$).did. or (US-20010040987-$).did.	USPAT; US-PGPUB

35 (((US-5909501-$ or US-4253086-$ or US-4706600-$ or US-4736203-$ or US-5224174-$ or US-5291560-$ or US-5448649-$ or US-3743421-$ or US-3771124-$ or US-3771129-$ or US-3882462-$ or US-3891968-$ or US-3928842-$ or US-4015240-$ or US-5901239-$ or US-5825924-$ or US-5892599-$ or US-6292576-$ or US-6611614-$ or US-6741729-$ or US-5812252-$ or US-5689576-$ or US-5629764-$ or US-5633947-$ or US-5644645-$ or US-6240200-$).did. or (US-6233348-$ or US-6226391-$ or US-5596454-$ or US-5509083-$ or US-5974163-$ or US-5953442-$ or US-6125192-$ or US-6091839-$).did. or (US-20010040987-$).did.) and ((invert$6 or revers$6) near4 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

| 80 | (((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011) and (fingerprint or finger?print or (finger adj1 print))) and (((binar$8 with (twice or repeat$3)) or (binar$8 with (first or second or third or plurality))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | | | | | |

80 (US-6314196-$ or US-5909501-$ or US-5917928-$ or US-5920641-$ or US-5982914-$ or US-5995641-$ or US-6031942-$ or US-5699449-$ or US-5751835-$ or US-6744909-$ or US-5812252-$ or US-5815252-$ or US-5825924-$ or US-5841886-$ or US-5878158-$ or US-6301375-$ or US-6241288-$ or US-6275601-$ or US-5420937-$ or US-5509083-$ or US-5537484-$ or US-5555314-$ or US-5636292-$ or US-6201886-$ or US-6188780-$ or US-6122395-$).did. or (US-6134340-$ or US-6185317-$ or US-4035769-$ or US-4047154-$ or US-4151512-$ or US-4160237-$ or US-4208651-$ or US-4083035-$ or US-4128850-$ or US-4225850-$ or US-6075876-$ or US-6052474-$ or US-4646352-$ or US-4685145-$ or US-4696046-$ or US-4723298-$ or US-4547898-$ or US-4577345-$ or US-4454610-$ or US-4525859-$ or US-3968475-$ or US-4003024-$ or US-4015240-$ or US-3643216-$ or US-3771128-$ or US-3771129-$ or US-3893080-$).did. or (US-3959769-$ or US-3959884-$ or US-3859633-$ or US-3891968-$ or US-3618019-$	USPAT; US-PGPUB; JPO

80	((US-6314196-$ or US-5909501-$ or US-5917928-$ or US-5920641-$ or US-5982914-$ or US-5995641-$ or US-6031942-$ or US-5699449-$ or US-5751835-$ or US-6744909-$ or US-5812252-$ or US-5815252-$ or US-5825924-$ or US-5841886-$ or US-5878158-$ or US-6301375-$ or US-6241288-$ or US-6275601-$ or US-5420937-$ or US-5509083-$ or US-5537484-$ or US-5555314-$ or US-5636292-$ or US-6201886-$ or US-6188780-$ or US-6122395-$).did. or (US-6134340-$ or US-6185317-$ or US-4035769-$ or US-4047154-$ or US-4151512-$ or US-4160237-$ or US-4083035-$ or US-4208651-$ or US-4128850-$ or US-4225850-$ or US-6075876-$ or US-6052474-$ or US-4646352-$ or US-4685145-$ or US-4696046-$ or US-4547898-$ or US-4723298-$ or US-4577345-$ or US-4525859-$ or US-4454610-$ or US-3968475-$ or US-4015240-$ or US-4003024-$ or US-3643216-$ or US-3771128-$ or US-3771129-$ or US-3893080-$).did. or (US-3959769-$ or US-3959884-$ or US-3859633-$ or US-3891968-$ or US-3618019-$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-6314196-$).did.	USPAT
1	((US-6314196-$).did.) and binar$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

92	bolle-r$10.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	bolle-r$10.in. and jain.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	(US-6487306-$ or US-6263091-$ or US-6185318-$ or US-6049621-$ or US-6289112-$ or US-6314197-$).did.	DERWENT
0	((US-6487306-$ or US-6263091-$ or US-6185318-$ or US-6049621-$ or US-6289112-$ or US-6314197-$).did.) and bifurc$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	((US-6487306-$ or US-6263091-$ or US-6185318-$ or US-6049621-$ or US-6289112-$ or US-6314197-$).did.) and bif$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	bolle-ru$10.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	bolle-r$10.in. and international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	bolle.in. and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	bolle.in. and prun$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	bolle.in. and prun$4.ti. and bif$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-6314196-$).did.	USPAT
1	((US-6314196-$).did.) and pseudo$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-6314196-$).did.	USPAT

#	Query	Databases
1	((US-6314196-$).did.) and bif$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	6122395.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	(US-5974163-$ or US-6314196-$ or US-6122395-$ or US-6487306-$ or US-6263091-$ or US-5845005-$ or US-6241288-$ or US-6658140-$ or US-4817183-$ or US-6185318-$ or US-6091839-$ or US-6374652-$ or US-5363453-$ or US-6072895-$).did. or (US-20020097896-$).did.	USPAT; US-PGPUB
871	(((sequence or video or series or several or collection or many or plurality or "set of" or multiple) near (finger?print or fingerprint or (finger adj1 print)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1335	(video or ((sequence or series or several or collection or many or plurality or "set of" or multiple) near image)) same (finger?print or fingerprint or (finger adj1 print))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

2267	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
233	(((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20011011)) and ((video or ((sequence or series or several or collection or many or plurality or "set of" or multiple) near image)) same (finger?print or fingerprint or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

1997	((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
200	(((382/115-127.ccls. or 300/383.ccls. or 300/384.ccls. or 340/5.52.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.81.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.84.ccls. or 396/15.ccls. or 902/3.ccls. or 283/68-69.ccls.) and @ad<20001011)) and ((video or ((sequence or series or several or collection or many or plurality or "set of" or multiple) near image)) same (finger?print or fingerprint or (finger adj1 print)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	4525859.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
5	0.24 same ntsc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

138	0.24 and ntsc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
25	("0.24" and ntsc) and (348.clas. or 382.clas. or 345.clas. or 356.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
19	("0.24" and ntsc) and (348.clas. or 382.clas. or 345.clas. or 356.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
19	("0.24" and ntsc) and (348.clas. or 382.clas. or 345.clas. or 356.clas.) and @ad<20001011 and (sec or second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	("0.24" and ntsc) and (348.clas. or 382.clas. or 345.clas. or 356.clas.) and @ad<20001011 and ("0.24" with (sec or second))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
59	setlak.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
24	setlak.in.	USPAT	
15	(US-5748763-$ or US-5841886-$ or US-5699449-$ or US-5636292-$ or US-6292576-$ or US-6024287-$ or US-5524161-$ or US-6091839-$ or US-6128398-$ or US-6137896-$ or US-5848176-$ or US-6002784-$ or US-5557686-$ or US-6002785-$ or US-6501857-$).did.	USPAT	

15	(US-5748763-$ or US-5841886-$ or US-5699449-$ or US-6292576-$ or US-6024287-$ or US-5524161-$ or US-6091839-$ or US-6128398-$ or US-6137896-$ or US-6002784-$ or US-5557686-$ or US-6002785-$).did.	USPAT
6743	(((inner or dot) adj1 product) or (inner?product or dot?product) and ((US-5748763-$ or US-5841886-$ or US-5699449-$ or US-5636292-$ or US-6292576-$ or US-6024287-$ or US-5524161-$ or US-6091839-$ or US-6128398-$ or US-6137896-$ or US-5848176-$ or US-6002784-$ or US-5557686-$ or US-6002785-$ or US-6501857-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	(((((inner or dot) adj1 product) or (inner?product or dot?product)) and ((US-5748763-$ or US-5841886-$ or US-5699449-$ or US-5636292-$ or US-6292576-$ or US-6024287-$ or US-5524161-$ or US-6091839-$ or US-6128398-$ or US-6137896-$ or US-5848176-$ or US-6002784-$ or US-5557686-$ or US-6002785-$ or US-6501857-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

16	(US-6122395-$ or US-6374652-$ or US-5363453-$ or US-6091839-$ or US-5974163-$ or US-6185318-$ or US-6487306-$ or US-6072895-$ or US-4817183-$ or US-6658140-$ or US-6241288-$ or US-5845005-$ or US-6314196-$ or (US-6263091-$).did. or (US-20020097896-$ or US-20010036299-$).did.	USPAT; US-PGPUB
5	((US-6122395-$ or US-6374652-$ or US-5363453-$ or US-6091839-$ or US-5974163-$ or US-6185318-$ or US-6487306-$ or US-6072895-$ or US-4817183-$ or US-6658140-$ or US-6241288-$ or US-5845005-$ or US-6314196-$ or (US-6263091-$).did. or (US-20020097896-$ or US-20010036299-$).did.) and interp$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
392	((curve) with (interpolat$ with (pixel or point))) and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
288	((curve) with (interpolat$ with (pixel or point))) and (382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((curve) with (interpolat$ with (pixel or point))) and (382.clas. or 345.clas.) and @ad<20001011 and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
288	((curve) with (interpolat$ with (pixel or point))) and (382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

30	((curve) with (interpolat$ with (pixel or point))) and (382.clas. or 345.clas.) and @ad<20001011 and curve.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
3	(interpolat$ with (pixel) and (382.clas. or 345.clas.) and @ad<20001011 and curve.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
3060	(interpolat$ with (pixel) and (382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
614	((interpolat$ with (pixel) with point) and (382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
29	(((interpolat$ with (pixel)) with point) same curve) and (382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
91	((((fit$6 near (curve or contour or spline)) same image) same interpolation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
143750	(382.clas. or 345.clas. or 356.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
37	(((((fit$6 near (curve or contour or spline) same image) same interpolation)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
25	(((((fit$6 near (curve or contour or spline)) with image) same interpolation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
0	(((((fit$6 near (curve or contour or spline)) with image) same interpolation)) and 1=0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

10	(((((fit$6 near (curve or contour or spline)) with image)) same interpolation)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	(((fit$6 near (curve or contour or spline)) with pixel) same interpolation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	(((((fit$6 near (curve or contour or spline)) with pixel) same interpolation)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
168	curve with (subpixel or sub?pixel or ("sub" adj1 pixel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	curve with (subpixel or sub?pixel or ("sub" adj1 pixel)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	(curve with (image) with (continous or smooth)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	(curve with (image) with (continous or smooth)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011) and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	(US-5963679-$ or US-5852670-$ or US-5828773-$ or US-5956415-$ or US-6678411-$).did.	USPAT

5	(cruve with (image) with (continous or smooth)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011) and ((US-5963679-$ or US-5852670-$ or US-5828773-$ or US-5956415-$ or US-6678411-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
0	((cruve or contour) with ("from" near3 image)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
0	((curve or contour) with ("from" near3 image)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
0	(("from" near3 image)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
0	((from near3 image)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
513	((((obtain$6 or deriv$8 or get or determin$6 or acqui$8 or genera$8 or produc$8) near3 curve) with (image)) and ((382.clas. or 345.clas. or 356.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
82496	(382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		

425 (((obtain$6 or deriv$8 or get or determin$6 or acqui$8 or genera$8 or produc$8) near3 curve) with (image)) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
354 (((obtain$6 or deriv$8 or acqui$8 or genera$8 or produc$8) near3 curve) with (image)) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
344 (((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8) near3 curve) with (image)) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
216 (((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8) near3 curve) near5 (image)) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4 (((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8) near3 curve) near5 (image)) and ((382.clas. or 345.clas.) and @ad<20001011) and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4 (US-5163094-$ or US-5040224-$ or US-4975969-$ or US-3928842-$).did.	USPAT	

4 (((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8) near3 curve) near5 (image)) and ((382.clas. or 345.clas.) and @ad<20001011) and ((US-5163094-$ or US-5040224-$ or US-4975969-$ or US-3928842-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
61 ((curve near (extract$8)) with image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
18 ((curve near (extract$8)) with image) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4 ((curve near (extract$8)) with image) and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
18 (US-5040224-$ or US-5506947-$ or US-5579444-$ or US-5680471-$ or US-5742279-$ or US-6040825-$ or US-5867592-$ or US-5870493-$ or US-5951475-$ or US-5953451-$ or US-6694057-$ or US-6317617-$ or US-6108444-$ or US-6621941-$ or US-6424746-$ or US-6289136-$ or US-6408105-$).did. or (EP-441972-$).did.	USPAT; EPO	

5 (((US-5040224-$ or US-5506947-$ or US-5579444-$ or US-5680471-$ or US-5742279-$ or US-6040825-$ or US-5867592-$ or US-5870493-$ or US-5951475-$ or US-5953451-$ or US-6694057-$ or US-6317617-$ or US-6108444-$ or US-6621941-$ or US-6424746-$ or US-6289136-$ or US-6408105-$).did. or (EP-441972-$).did.) and interpo$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
5 (((curve near (extract$8)) with image) and ((382.clas. or 345.clas.) and @ad<20001011)) and interpo$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
4 ((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 extract$8) near3 curve) near5 (image)) and ((382.clas. or 345.clas.) and @ad<20001011) and ((US-5163094-$ or US-5040224-$ or US-4975969-$ or US-3928842-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
231 (((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image)) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		

1 ((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image)).ti. and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
1 ((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image)) with (subpixel or sub?pixel or ("sub" adj1 pixel))) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
1 ((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image)) with (subpixel or sub?pixel or ("sub" adj1 pixel))) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
1 ((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image)) same (subpixel or sub?pixel or ("sub" adj1 pixel))) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			

1	(((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) near5 (image) same (subpixel or sub?pixel or ("sub" adj1 pixel))) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) near3 curve) with (image) same (subpixel or sub?pixel or ("sub" adj1 pixel))) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) with curve) with (image) same (subpixel or sub?pixel or ("sub" adj1 pixel))) and ((382.clas. or 345.clas.) and @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
785	(((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) with curve) with (image)) and ((382.clas. or 345.clas. or @ad<20001011)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

17 (((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) with curve) with (image))) and ((382.clas. or 345.clas.) and @ad<20001011) and fingerprint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
17 (US-5742279-$ or US-5754694-$ or US-5956415-$ or US-5963679-$ or US-5982934-$ or US-6040825-$ or US-6763127-$ or US-5828773-$ or US-5852670-$ or US-4975969-$ or US-3928842-$ or US-5040224-$ or US-4792226-$ or US-4811414-$ or US-5054094-$ or (EP-5163094-$).did. or (EP-339527-$).did.	USPAT; EPO					
17 (((((obtain$6 or derive or deriving or derived or derivation or acqui$8 or genera$8 or produc$8 or extract$8) with curve) with (image))) and ((382.clas. or 345.clas.) and @ad<20001011) and ((US-5742279-$ or US-5754694-$ or US-5956415-$ or US-5963679-$ or US-5982934-$ or US-6040825-$ or US-6763127-$ or US-5828773-$ or US-5852670-$ or US-4975969-$ or US-3928842-$ or US-5040224-$ or US-4792226-$ or US-4811414-$ or US-5054094-$ or (EP-5163094-$).did. or (EP-339527-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

82496	(382.clas. or 345.clas.) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
300	(fit$8 near3 (curve or spline or contour)) with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
142	curve near reconstruct$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	curve near reconstruct$8 and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	(curve near reconstruct$8) same imate and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	(curve near reconstruct$8) same image and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-4817183-$).did.	USPAT
1	((US-4817183-$).did.) and minut$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1271	fingerprint and interpol$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
539	fingerprint and (interpol$6 same image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
567	fingerprint and (interpol$6 same (image or pixel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
176	fingerprint and (interpol$6 same (image or pixel)) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

| 176 | (US-6785016-$ or US-6786420-$ or US-6788336-$ or US-6789191-$ or US-6789194-$ or US-6535618-$ or US-6539095-$ or US-6539112-$ or US-6542618-$ or US-6542620-$ or US-6542645-$ or US-6549804-$ or US-6549935-$ or US-6553129-$ or US-6556720-$ or US-6560349-$ or US-6567533-$ or US-6587821-$ or US-6591017-$ or US-6614914-$ or US-6633671-$ or US-6636216-$ or US-6643406-$ or US-6647128-$ or US-6658140-$ or US-6658164-$).did. or (US-6665454-$ or US-6671414-$ or US-6675210-$ or US-6678423-$ or US-6678499-$ or US-6679420-$ or US-6681029-$ or US-6681045-$ or US-6698653-$ or US-6700990-$ or US-6714665-$ or US-6720985-$ or US-6727996-$ or US-6728000-$ or US-6737591-$ or US-6750011-$ or US-6750901-$ or US-6760119-$ or US-6766942-$ or US-6775392-$ or US-6775419-$ or US-6782132-$ or US-6233347-$ or US-6252963-$ or US-6256350-$ or US-6266430-$ or US-6281882-$).did. or (US-6286036-$ or US-6289108-$ or US-6298176-$ or US-6315200-$ or US-6317192-$ | USPAT; US-PGPUB; JPO; DERWENT |

176	(((US-6785016-$ or US-6786420-$ or US-6788336-$ or US-6789191-$ or US-6789194-$ or US-6535618-$ or US-6539095-$ or US-6539112-$ or US-6542618-$ or US-6542620-$ or US-6542645-$ or US-6549804-$ or US-6549935-$ or US-6553129-$ or US-6556720-$ or US-6560349-$ or US-6567533-$ or US-6587821-$ or US-6591017-$ or US-6614914-$ or US-6633671-$ or US-6636216-$ or US-6643406-$ or US-6647128-$ or US-6658140-$ or US-6658164-$).did. or (US-6665454-$ or US-6671414-$ or US-6675210-$ or US-6678499-$ or US-6678423-$ or US-6679420-$ or US-6681029-$ or US-6681045-$ or US-6698653-$ or US-6700990-$ or US-6714665-$ or US-6720985-$ or US-6728000-$ or US-6727996-$ or US-6737591-$ or US-6750901-$ or US-6750011-$ or US-6760119-$ or US-6766942-$ or US-6775392-$ or US-6775419-$ or US-6782132-$ or US-6233347-$ or US-6252963-$ or US-6256350-$ or US-6266430-$ or US-6281882-$).did. or (US-6286036-$ or US-6289108-$ or US-6298176-$ or US-6315200-$ or US-6317192-$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-4817183-$).did. and pixel	USPAT
2	(((center or centroid or (center adj2 mass)) near3 pixel) with point with curve) same fit$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

#	Query	Databases
2	(((center or centroid or (center adj2 mass)) near3 pixel) with point with (curve or spline)) same fit$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	((((center or centroid or (center adj2 mass)) near3 pixel) same point same (curve or spline)) same fit$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	(((center or centroid or (center adj2 mass)) near3 pixel) same point same (curve or spline)) same fit$4 and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	(((center or centroid or (center adj2 mass)) near3 pixel) same (curve or spline)) same fit$4 and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
212	(pixel with (curve or spline) with fit$4) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	(pixel with (spline) with fit$4) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	5454070.URPN.	USPAT
3	("4910786" | "4949281" | "5172423").PN.	USPAT
9	5172423.URPN.	USPAT
79	((adjacent near pixel) with point with interpol$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	((adjacent near pixel) with point with interpol$5) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	((adjacent near pixel) with point with interpol$5) and @ad<20001011 and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(US-5454070-$).did.	USPAT

0	(US-5454070-$).did. and intperpol$8	USPAT	
1	(US-5454070-$).did. and interpol$8	USPAT	
10	(((adjacent near pixel) with interpol$5) same curve) and @ad<20001011 and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
0	((((adjacent near pixel) with interpol$5) same (control adj point)) and @ad<20001011 and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
6	((((adjacent near pixel) with interpol$5) and (control adj point)) and @ad<20001011 and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
27	((((adjacent near pixel) with interpol$5) with (point)) and @ad<20001011 and (382.clas. or 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
63	((((adjacent near pixel) with interpol$5) with (point)) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	((((adjacent near pixel) with interpol$5) with (point)) same curve) and @ad<20001011	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
1	(US-5454070-$).did.	USPAT	
1	((US-5454070-$).did.) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	6282773.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
0	6828773.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2	5828773.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

8	(("6487306") or ("4817183") or ("6314196") or ("6241288") or ("5974163") or ("5828773") or ("6263091") or ("5454070")).PN.	USPAT				

EAST SEARCH TAGGED

patent #	type	pub date	title	class1	class2	inventor
US 6185318 B1	USPAT	20010206	System and method for matching (fingerprint) images an aligned string-based representation	382/125	382/115; 382/124; 382/195	Jain, Anil K. et al.
US 6091839 A	USPAT	20000718	Fingerprint characteristic extraction apparatus as well as fingerprint classification apparatus and fingerprint verification apparatus for use with fingerprint characteristic extraction apparatus	382/125	382/116	Uchida, Kaoru
US 6487306 B1	USPAT	20021126	System and method for deriving a string-based representation of a fingerprint image	382/125	382/201	Jain, Anil K. et al.
US 20020097896 A1	US-PGPUB	20020725	DEVICE AND METHOD FOR SCANNING AND MAPPING A SURFACE	382/124		KUCKENDAHL, LARS
US 6658140 B1	USPAT	20031202	Method and arrangement for obtaining image information relating to surface structures	382/127	340/5.83; 356/71; 382/115; 382/124	Hillmann, Juergen et al.
US 4817183 A	USPAT	19890328	Fingerprint recognition and retrieval system	382/125	382/204	Sparrow, Malcolm K.
US 6263091 B1	USPAT	20010717	System and method for identifying foreground and background portions of digitized images	382/125	382/124; 382/173; 382/190; 382/197	Jain, Anil K. et al.
US 5845005 A	USPAT	19981201	Apparatus for fingerprint indexing and searching	382/124	707/6	Setlak, Dale R. et al.
US 20010036299 A1	US-PGPUB	20011101	COMBINED FINGERPRINT ACQUISITION AND CONTROL DEVICE	382/124		SENIOR, ANDREW WILLIAM
US 6314196 B1	USPAT	20011106	Fingerprint registering method and fingerprint checking device	382/125	257/E27.153; 257/E27.159; 382/116; 382/119; 382/124	Yamaguchi, Masahiko et al.

Patent	Source	Date	Title	Class	Subclasses	Inventor
US 6241288 B1	USPAT	20010605	Fingerprint identification/verification system	283/67	283/69; 283/78; 382/116; 382/124; 396/15	Bergenek, Jerker et al.
US 6122395 A	USPAT	20000919	Fingerprint dictionary image renewing method	382/125		Yamaguchi, Masahiko et al.
US 5974163 A	USPAT	19991026	Fingerprint classification system	382/125	382/228	Kamei, Toshio
US 5363453 A	USPAT	19941108	Non-minutiae automatic fingerprint identification system and methods	382/125		Gagne, Patricia C. et al.
US 6374652 B1	USPAT	20020423	Locking doorknob which recognizes a finger print	70/277	292/350; 340/5.53; 382/124; 70/278.1; 70/283	Hwang, Moon Sung
US 6072895 A	USPAT	20000606	System and method using minutiae pruning for fingerprint image processing	382/125	382/190; 382/209	Bolle, Rudolf Maarten et al.
US 5454070 A	USPAT	19950926	Pixel to spline based region conversion method	345/589	345/441; 345/442	Donelly, Ross A. et al.